




# SmileTiger eMeeting Server 2008

## Datasheet

### Overview

SmileTiger eMeeting Server 2008 is a web-based enterprise conferencing software system. It features meeting scheduling, multiparty audio conferencing, multiparty video conferencing, white board, remote PowerPoint presentation, web tour, application/desktop sharing, application/desktop remote control, local file pushing, polling, question and answer, record and streaming, document management center, instant messaging, and inline browsing.



The software is designed for the complex Internet/Intranet environment. All communication passes firewalls and proxies without any network configuration change. It works perfectly with both broadband connection and dialup connection.

The software is designed to support large groups. It is reliable and scalable to support thousands of concurrent users for large corporations.

The software provides multiple service modes for different application scenarios. It can be dynamically configured and used in corporate meeting, distance learning, customer supporting and other web conferencing applications.

The software can be easily integrated with existed corporate websites.

The deployment of the client software is simple and fast. Users are prompted to download and install the software when they try to enter a meeting for the first time. They can enter any meeting from the login webpage or invitation emails afterwards.

## Features

- ✓ Meeting scheduling
- ✓ Multiparty audio conferencing
- ✓ Multiparty video conferencing
- ✓ Remote PowerPoint presentation
- ✓ White board
- ✓ Application/Desktop sharing
- ✓ Application/Desktop remote control
- ✓ Web Tour
- ✓ Local file pushing
- ✓ Web page pushing
- ✓ Question & Answer
- ✓ Polling
- ✓ Recording and Streaming
- ✓ MS Outlook integration
- ✓ MS Office integration
- ✓ Text messaging
- ✓ Inline browsing
- ✓ Document Management Center
  
- ✓ Rich moderation functions
- ✓ Support multiple business logics
- ✓ Web-based administration
  
- ✓ Encrypted communication
- ✓ Pass firewalls & proxies
- ✓ Works with dialup
- ✓ Support large groups
- ✓ Scalable to thousands of concurrent users
- ✓ Seamless integration with corporate websites
- ✓ Adjustable communication speed

## System Requirements

### Client Requirements

CPU	Pentium 233M Hz, or other compatible CPU
Memory	128MB
Operation System	Windows 2000/XP/2003/Vista, Mac OSX
Browser	Internet Explore, Firefox
Network	Dialup Internet access or broadband/LAN Internet access.
Optional	Audio conferencing – headset or speaker and microphone, Video conferencing – web cam, camcorder, or network camera

### Server Requirements

CPU	1.0GHz Pentium CPU, or other type of CPU with equal performance
Memory	512 MB
Operation System	Windows 2000/XP/2003/Vista, LINUX or Other OS support Java 1.4.
Network	T1 or faster network connection

## Specifications

### Server Specification

Server Ports	Default: TCP 7770 Can be configured to any other port, e.g. 80
Number of Meetings	Unlimited
Concurrent Users	Up to 30000

### Performance Specification

Audio speed	13 kbps
Simultaneous speakers	Up to 20 per meeting
Maximum simultaneous audio receivers	Up to 30000
Video frame rate	Adjustable from 1fps to 30 fps
Video resolution	160*120, 320*240, 640*480, 1280*1024
Simultaneous video senders	Up to 20 per meeting
Simultaneous video receivers	Up to 30000
Application sharing speed	Adjustable from 1kbps to 100Mbps
File Pushing speed	Adjustable from 1kbps to 100Mbps

## **More Information**

Company website: <http://www.smiletiger.com/>

Trial version download: <http://www.smiletiger.com/v10/download/download.htm>

Purchase: <http://www.smiletiger.com/v10/purchase/purchase.htm>

Online Demo: <http://www.smiletiger.com/v10/demo/demo.htm>

Documents: <http://www.smiletiger.com/v10/document/docs.htm>

## **Contact**

### Corporate headquarter

SmileTiger Software Corporation  
11615 Sir Francis Drake Drive  
Charlotte, NC 28277  
USA

Website: <http://www.smiletiger.com>

Email: [sales@smiletiger.com](mailto:sales@smiletiger.com)

Telephone: +1 704 321 9068